

WASHROOM ACCESSORIES

2013 CATALOG

FRONT LINE



*Washroom Accessories engineered for the high traffic restroom.
12- 14 GAUGE STAINLESS STEEL*

FRONT LINE

Technical Data		
Paper Towel Dispenser		Model FL-PT109

Features		Dimensions
Surface Mounted C-Fold or Multi-Fold Towels Refill indicator slot Heavy duty piano hinge Vandal resistant tumbler lock Spare Key		11.25" wide X 15.5" high X 4" deep

Construction
<p>Cabinet constructed from 14 Gauge Type 304 (18-8) stainless steel. Architectural satin finish on all exposed surfaces. All continuous welded seams for 'Seam Free' appearance. No edges to be pried apart. Corners rounded and smooth. Edges de-burred. Heavy-duty tumbler lock, keyed to other Front Line Accessories. Full length heavy-duty gauge stainless steel piano hinge at bottom.</p>

Capacity
400 C-fold or 525 Multi-Fold Paper towels.

Operation
Towels are dispensed from bottom of unit. Key lock opens door to sloping position for easy front loading.

Installation
Wall: Screw to wall with 4 mounting screws and anchors provided. Minimum of four screws into backing or stud. Partition: Through-Bolt to partition panel with theft resistant bolts provided.

ADA Compliance
Mount at 40" max from finish floor to paper dispenser opening.

Specification
<p>Surface-Mounted Paper Towel Dispenser shall be Front Line Model FL-PT109 from California Washroom Consultants, Inc., Newbury Park, California. Ph (877) 767-4636 toll free, fax (877) 767-3227 toll free.</p> <p>Front Line surface mounted dispenser shall be fabricated of type 304 (18-8), 14 gauge satin stainless steel with all welded seams. Front panel hinged with continuous stainless steel piano hinge and secured with tumbler lock. 400 C-fold or 525 Multi-Fold Paper towel capacity. Keyed to other Front Line models.</p>

Manufacturer reserves the right to alter design and material without formal notice and without incurring obligation.	Product made in the USA 11/30/00	CWC Inc. California Washroom Consultants Inc.
--	--	--

FRONT LINE

Technical Data		
Sheet Toilet Tissue Dispenser		Model FL-TT200

Features		Dimensions
Surface Mounted Double or single fold tissue sheets Double capacity dispensing unit Slots in cabinet indicate refill time Heavy duty piano hinge Vandal resistant tumbler lock Spare Key		10" wide X 8.5" high X 3" deep

Construction
Cabinet constructed from 14 Gauge Type 304 (18-8) stainless steel. Architectural satin finish on all exposed surfaces. All continuous welded seams for 'Seam Free' appearance. No edges to be pried apart. Corners rounded and smooth. Edges de-burred. Heavy-duty tumbler lock. Full length heavy-duty 16-gauge stainless steel piano hinge at bottom.

Capacity
1400 Double-fold tissue sheets or 2600 single-fold sheets

Operation
Toilet tissue is dispensed from the bottom of the unit. Key lock opens front to horizontal position for easy loading. May be refilled with standard sized pack before empty.

Installation
Wall: Screw to wall with 4 mounting screws and anchors provided. Minimum of two screws into backing or stud. Partition: Through-Bolt to partition panel with theft resistant bolts provided.

ADA Compliance
Mount at 19" max from finish floor to paper dispenser opening. 12" from front of toilet bowl.

Specification
Surface-Mounted Toilet Tissue Dispenser shall be Front Line Model FL-TT200 from California Washroom Consultants, Inc., Newbury Park, California. Ph (877) 767-4636 toll free, fax (877) 767-3227 toll free.
Surface mounted dual stack toilet tissue dispenser shall be fabricated of type 304 (18-8), 14 gauge stainless steel with all welded seams and satin finish. Front panel hinged with continuous 16-gauge stainless steel piano hinge and secured with tumbler lock. 1400 Double-fold tissue sheets or 2600 single-fold sheets. Keyed to other Front Line models.

Manufacturer reserves the right to alter design and material without formal notice and without incurring obligation.	Product made in the USA 11/30/00	CWC Inc. California Washroom Consultants Inc.
--	--	--

FRONT LINE

Technical Data		
Surface Mounted Roll Toilet Tissue Dispenser		Model FL-TT210

Features		Dimensions
Surface mounted Dual roll Vandal resistant locking spindle Protective hood		10" wide X 6" high X 6" deep

Construction
Constructed from 12-gauge Type 304 (18-8) stainless steel. Architectural satin finish on all exposed surfaces. All Continuous welded seams for 'Seam Free' appearance. No edges to be pried apart. Corners rounded and smooth. Edges de-burred. Heavy-duty lock, keyed to other Front Line accessories.

Operation
Lock releases spindle for refilling. Cover keeps top of rolls clean.

Installation
Wall: Screw to wall with 4 mounting screws provided. Partition: Through-bolt to partition panel with theft resistant bolts provided.

ADA Compliance
Mount at 19" max from finish floor to paper dispenser opening. 12" from front of toilet bowl.

Specification
Surface-Mounted Toilet Tissue Dispenser shall be Front Line Model FL-TT210 from California Washroom Consultants Inc., Newbury Park, California. Ph (877) 767-4636 toll free, fax (877) 767-3227 toll free.
Front Line surface mounted dual roll toilet tissue dispenser shall be fabricated of type 304 (18-8), 12 Gauge satin finish stainless steel with all welded seams and exposed faces. Stainless steel spindle with integral lock.

Manufacturer reserves the right to alter design and material without formal notice and without incurring obligation.	Product made in the USA 11/30/00	CWC Inc. California Washroom Consultants Inc.
--	--	--

FRONT LINE

Technical Data		
Recessed Roll Toilet Tissue Dispenser		Model FL-TT230

Features		Dimensions
Recess mounted Single roll continuous feed Vandal resistant lock Protective hood Fits into a 4" wall / protrudes 1 1/2"		11" wide X 13" high X 5 1/2" deep

Construction
Constructed from 12-14 gauge Type 304 (18-8) stainless steel. Architectural satin finish on all exposed surfaces. All Continuous welded seams for 'Seam Free' appearance. No edges to be pried apart. Corners rounded and smooth. Edges de-burred. Heavy-duty lock, keyed to other Front Line accessories. Full length heavy-duty 16-gauge stainless steel piano hinge.

Operation
Lock releases door for refilling. Hinged cover keeps top of rolls clean.

Installation
Wall: Provide a recess 9" wide by 11" high. Screw to stud with 4 mounting screws provided.


ADA Compliance
Mount at 19" max from finish floor to paper dispenser opening. 12" from front of toilet bowl.

Specification
Recessed Toilet Tissue Dispenser shall be Front Line Model FL-TT230 from California Washroom Consultants Inc., Newbury Park, California. Ph (877) 767-4636 toll free, fax (877) 767-3227 toll free. Front Line recessed single roll toilet tissue dispenser shall be fabricated of type 304 (18-8), 12 Gauge satin finish stainless steel door and 14 Gauge recessed box and flange with all welded seams and exposed faces. Stainless steel spindle with integral lock.

Manufacturer reserves the right to alter design and material without formal notice and without incurring obligation.	Product made in the USA 11/30/00	CWC Inc. California Washroom Consultants Inc.
--	--	--

FRONT LINE

Technical Data		
Seat Cover Dispenser		Model FL-SC400

Features		Dimensions
Surface Mounted Half or single fold paper toilet-seat covers		16" wide X 11" high X 2" deep

Construction
 Cabinet constructed from **14 Gauge Type 304 (18-8) stainless steel**.
 Architectural satin finish on all exposed surfaces.
 All continuous welded seams for 'Seam Free' appearance. No edges to be pried apart.
 Corners rounded and smooth. Edges de-burred. Safe for children.
 Dual mounting supports.

Capacity
 250 toilet-seat covers.

Operation
 Dispenses from face of unit. Refills from bottom through concealed opening.

Installation
 Wall: Screw to wall with theft resistant mounting screws and anchors provided. Minimum of four screws into backing or stud.
 Partition: Through-bolt to partition panel with theft resistant bolts provided.
 Note: Provide a 10" minimum clearance between bottom of unit and any horizontal surface to allow filling of dispenser from bottom.

ADA Compliance
 Mount at 40" max. from finished floor to center of seat cover dispenser opening.

Specification
Surface-Mounted Seat Cover Dispenser shall be Front Line Model FL SC-400 from California Washroom Consultants, Inc., Newbury Park, California. Ph (877) 767-4636 toll free, fax (877) 767-3227 toll free.
Front Line Surface mounted paper seat cover dispenser shall be fabricated of type 304 (18-8), 14 gauge satin finish stainless steel with all welded seams. 250 half-fold tissue sheets or 250 single-fold sheets.

Manufacturer reserves the right to alter design and material without formal notice and without incurring obligation.	Product made in the USA 11/30/00	CWC Inc. California Washroom Consultants Inc.
--	--	--

FRONT LINE

Technical Data		
Surface Mounted Sanitary Napkin Disposal		Model FL-ND500

Features		Dimensions
Surface Mounted Self closing cover Heavy-duty piano hinge		7.5" wide X 10.25" high X 3.75" deep

Construction
Constructed from 14 gauge Type 304 (18-8) stainless steel. Architectural satin finish on all exposed surfaces. All Continuous welded seams for 'Seam Free' appearance. No edges to be pried apart. Corners rounded and smooth. Edges de-burred. Full length heavy-duty 16-gauge stainless steel piano hinge.

Operation
Cover lifts up for disposal of sanitary napkins and servicing container. Disposable paper liners are available from paper supplier.

Installation
Wall: Screw to wall with mounting screws provided. Partition: Through-bolt to partition panel with theft resistant bolts provided.

ADA Compliance
Mount at 40" max. from finish floor to container opening.

Specification
Surface-Mounted Napkin Disposal shall be Front Line Model FL-ND500 from California Washroom Consultants, Inc., Newbury Park, California. Ph (877) 767-4636 toll free, fax (877) 767-3227 toll free.
Front Line surface mounted sanitary napkin disposal shall be fabricated of type 304 (18-8), 14 gauge satin finish stainless steel with all welded seams and exposed faces. Lid hinged with continuous 16-gauge stainless steel piano-hinge. Container cover to have integral finger indentation for opening.

Manufacturer reserves the right to alter design and material without formal notice and without incurring obligation.	Product made in the USA 11/30/00	CWC Inc. California Washroom Consultants Inc.
--	--	--

FRONT LINE

Technical Data		
Surface Mounted Waste Receptacle		Model FL-WR610

Features		Dimensions
Surface Mounted 6.5 gallon capacity.		14" wide X 18" high X 6" deep

Construction
<p>Constructed from 14 gauge Type 304 (18-8) stainless steel. Architectural satin finish on all exposed surfaces. All Continuous welded seams for 'Seam Free' appearance. No edges to be pried apart. Edges de-burred. Rear edge formed to allow standard trash liner to be folded over the top on all four sides.</p>

Operation
Trash liner folds over top edges for easy removal.

Installation
Wall: Screw to wall with mounting screws provided. Partition: Through-bolt to partition panel with theft resistant bolts provided.


ADA Compliance
Mount at 40" max. from finish floor to container opening.

Specification
<p>Surface-Mounted Waste Receptacle shall be Front Line Model FL-WR610 from California Washroom Consultants, Inc., Newbury Park, California. Ph (877) 767-4636 toll free, fax (877) 767-3227 toll free.</p> <p>Front Line surface mounted waste receptacle shall be fabricated of type 304 (18-8), 14 gauge satin finish stainless steel with all welded seams at exposed faces. Top to have indentation to allow use of standard trash liners.</p>

Manufacturer reserves the right to alter design and material without formal notice and without incurring obligation.	<p>Product made in the USA 11/30/00</p>	<p>CWC Inc. California Washroom Consultants Inc.</p>
--	--	--

FRONT LINE

Technical Data		
Surface Mounted Waste Receptacle		Model FL-WR12

Features		Dimensions
Surface Mounted 12 gallon capacity.		15" wide X 23" high X 8" deep

Construction
<p>Constructed from 14 gauge Type 304 (18-8) stainless steel. Architectural satin finish on all exposed surfaces. All Continuous welded seams for 'Seam Free' appearance. No edges to be pried apart. Edges de-burred. Rear edge formed to allow standard trash liner to be folded over the top on all four sides.</p>

Operation
Trash liner folds over top edges for easy removal.

Installation
Wall: Screw to wall with mounting screws provided. Partition: Through-bolt to partition panel with theft resistant bolts provided.

ADA Compliance
Mount at 40" max. from finish floor to container opening.

Specification
<p>Surface-Mounted Receptacle shall be Front Line Model FL-WR12 from California Washroom Consultants, Inc., Newbury Park, California. Ph (877) 767-4636 toll free, fax (877) 767-3227 toll free.</p> <p>Front Line surface mounted waste receptacle shall be fabricated of type 304 (18-8), 14 gauge satin finish stainless steel with all welded seams at exposed faces. Top to have indentation to allow use of standard trash liners.</p>

Manufacturer reserves the right to alter design and material without formal notice and without incurring obligation.

Product made in the USA
11/30/00

CWC Inc.
California Washroom Consultants Inc.

FRONT LINE

Technical Data

Safety Mirror

Model FL-SM1830

Features

Unbreakable stainless steel reflective surface
 Replaceable clear acrylic protective front panel
 Heavy duty face frame Vandal resistant stainless steel access screws
 Multiple mounting points



Dimensions

18.5" wide X 30.5" high

Construction

Face Frame Rails -14 Gauge Type 304 (18-8) stainless steel.
 Architectural satin finish on all exposed stainless steel surfaces.
 Protective panel - 1/8" clear Acrylic
 Mirror - #8 Mirror finish 20 Gauge stainless steel reflective surface.
 Wall panel -16 gauge with 18 gauge reinforcing brackets.
 Concealed wall mounting screws.

Operation

Face frame rails are removed to replace acrylic protective panel by unscrewing access screws with tool provided.

Installation

Wall: Screw to wall with mounting screws and anchors provided. Minimum of four screws into backing or stud.
 Place reflective and protective panels in place and attach rails with access screws.

ADA Compliance

Mount with bottom edge of reflective surface at 40" maximum from finish floor.

Specification

Front Line Safety Mirror shall be Front Line Model FL-SM1830 from California Washroom Consultants, Inc., Newbury Park, California. Ph (877) 767-4636 toll free, fax (877) 767-3227 toll free.
 Front Line Safety Mirror shall have a stainless steel reflective panel protected by an acrylic panel contained by 14 gauge stainless steel rails.

Manufacturer reserves the right to alter design and material without formal notice and without incurring obligation.

Product made in the USA
06/20/2002

CWC Inc.
California Washroom Consultants Inc.